HUSSMANN®

INNOVATING CLIMATE SOLUTIONS FOR A BETTER FUTURE

哈斯曼制冷科技（苏州）有限公司

江苏省苏州市高新区科技城漓江路58号

Tel: +86 512 66896001

Website: www.hussmann.com.au

产品技术参数及样式仅供参考，不作为订货依据，如有并更，恕不另行通知，请以实物为准。

HUSSMANN®

PRODUCT BROCHURE

产品手册

零售制冷解决方案

Retail Refrigeration Solutions

HUSSMANN REFRIGERATION(SUZHOU)CO.,LTD.

哈斯曼制冷科技（苏州）有限公司



公司简介 COMPANY PROFILE

哈斯曼简介　About Hussmann

哈斯曼（Hussmann）始创于1906年，拥有百余年商用制冷行业经验，是全球食品零售制冷展示设备、制冷系统及相关服务解决方案的重要供应商。哈斯曼始终专注于为食品零售行业提供高效、节能、可靠的制冷解决方案，业务涵盖冷柜展示、系统集成、安装服务、售后支持及数字化管理等领域。2016年，哈斯曼加入松下集团，进一步整合全球资源与技术优势，持续推动零售冷链向智能化、绿色化和高效化发展。

Founded in 1906, Hussmann has more than a century of experience in commercial refrigeration and is a leading provider of refrigerated display equipment, refrigeration systems, and related service solutions for the global food retail industry. Hussmann is committed to delivering efficient, energy-saving, and reliable refrigeration solutions, with capabilities covering refrigerated merchandising, system integration, installation, after-sales service, and digital management. Since joining Panasonic Group in 2016, Hussmann has further strengthened its global resources and technological capabilities, continuously driving the retail cold chain toward smarter, greener, and more efficient development.

哈斯曼苏州简介　About Hussmann Suzhou

哈斯曼制冷科技（苏州）有限公司是哈斯曼在中国的重要业务平台和核心制造基地，致力于为中国及亚太市场提供高品质的商用制冷产品与整体解决方案。公司依托哈斯曼全球化技术平台与本地化制造、服务能力，聚焦大型商超、会员店、社区零售及便利店等多元零售业态，提供涵盖产品设计、制造、项目交付及售后服务在内的一体化支持。凭借百年品牌积淀与本土市场经验，哈斯曼苏州持续助力零售客户提升商品展示效果、运营效率及可持续发展能力。

Hussmann Refrigeration (Suzhou) Co., Ltd. serves as Hussmann's important business platform and core manufacturing base in China, dedicated to providing high-quality commercial refrigeration products and integrated solutions for the China and Asia-Pacific markets. Leveraging Hussmann's global technology platform together with localized manufacturing and service capabilities, the company focuses on diverse retail formats such as hypermarkets, membership stores, community retail, and convenience stores, offering end-to-end support from product design and manufacturing to project delivery and after-sales service. With its century-old brand heritage and strong local market experience, Hussmann Suzhou continues to help retail customers enhance merchandising performance, operational efficiency, and sustainability.

COMPANY CULTURE
发展历程

1906
哈斯曼集团于1906年由拉里.哈斯曼先生在美国密苏里州圣路易斯市成立
Company founded in St. Louis, Missouri, by Harry L. Hussmann

1917
成功申请世界第一台肉品展示柜专利
First patented meat display case

1935
成功申请世界第一台冷冻食品服务柜专利
First patented self-service frozen food display case

1972
革命性地将双层风幕技术引入肉品展示柜设计领域
Introduced revolutionary dual air curtain system for meat cases

1994
哈斯曼集团在中国洛阳设立制造工厂，服务亚太客户
Hussmann commenced manufacturing in China (Luoyang)

2008
在澳大利亚完成第一个二氧化碳商超制冷项目
First CO2 Refrigeration supermarket in Australia completed

2009
哈斯曼工厂由洛阳转移至苏州吴江
Production transferred to Wujiang Facility

2014
哈斯曼中国区的研发生产制造业务转移至苏州科技城
Move all production to Suzhou

2016
松下集团并购哈斯曼集团
Hussmann Corporation acquired by Panasonic Corporation

2018
哈斯曼大洋洲集团成立，主力服务澳洲及新西兰市场，并同时向亚太市场及中东南非市场拓展
Hussmann Oceania founded as a dedicated company to service ANZ and expand regional sales in China, SEA

2022
哈斯曼大洋洲集团自主设立环境可持续发展战略
Hussmann commenced building its sustainability strategy

2023
哈斯曼大洋洲集团面向全球市场发布领先产品平台P 系列
Launch global leading P Series Platform

Today
中国成为哈斯曼乃至松下在亚太地区产销研以及服务的一体基地
China has become a key hub for production, sales, research and development, and services for Hussmann and Panasonic in the Asia-Pacific region.

CONTENTS

目录

01 Hussmann苏州 09

02 会员店产品系列

MJPE326 15
V39/VD39 17
V34 19
S122 21
V34S 23
V39S 25
S172S 27
SGND193S 29

03 商超产品系列

MJPE116 33
MPD116 35
MCL 37
SMD1400 39
SME162 41
VLL726 43
VSS726 45
GHN74 47

01

Hussmann 苏州

Hussmann Suzhou

我们承诺，将持续提供创新解决方案，
同时坚持以客户为核心和价值导向的理念。

Our promise is to continuously provide innovative solutions, while remaining customer-focused and value orientated.

关于HUSSMANN 苏州

ABOUT HUSSMANN SUZHOU

致力于给市场及客户提供可持续性的高能效解决方案，同时坚持以客户为核心和价值导向的理念。

We are dedicated to offering the market and our customers sustainable, high-efficiency solutions while maintaining a customer-centric and value-driven philosophy.













权威认证，品质基石

让权威机构，为我们的品质作证。选择我们，您看到的
不仅是产品，更是背后一份份沉甸甸的保障。
恪守国际标准，铸就卓越品质。我们的技术与管理，经得起严苛的衡量。

Let reputable institutions attest to our quality. Choose us, and you will discover not only exceptional products but also the robust guarantees that accompany them. By adhering to international standards, we craft superior quality. Our technology and management practices can withstand rigorous scrutiny.



测试 Test





TEST

核心价值——温度控制

- 国家认证冷柜试验装置评定实验室
- GBT 21001.1.2015制冷陈列柜 第1部分：术语
- GBT 21001.2-2015 制冷陈列柜 第2部分 分类、要求和试验
- GBT 21001.3-2015 制冷陈列柜 第3部分：试验评定
- GB26920.1-2024商用制冷器具能效限定值和能效等级
- 第1部分：远置冷凝机组冷藏陈列柜
- 第2部分：自携冷凝机组商用冷柜

National Certified Cold Storage Test Equipment Evaluation Laboratory
GBT 21001.1.2015 Refrigerated Display Cabinets - Part 1: Terminology
GBT 21001.2-2015 Refrigerated display cabinets - Part 2 Classification, Requirements and tests
GBT 21001.3-2015 Refrigerated Display cabinets - Part 3: Test Evaluation
GB26920.1-2011 Energy Efficiency Limits and Energy Efficiency Grades for Commercial Refrigeration Appliances
Part 1: Remote Condensing Unit Refrigerated Display Cabinet
Part 2: Commercial Refrigerators with Self-contained condensing units

Service
服务

01

售前技术交流
Pre-sale technical communication

提供最佳的整体解决方案
Provide the best overall solution

02

订单管理追踪
Order management tracking

及时关注和反馈订单状态
Pay timely attention to and feedback the status of orders

03

现场安装服务
On-site installation service

高质量，高效率完成产品交付
Complete product delivery with high quality and efficiency

04

系统调试服务
System debugging service

冷柜参数定制化，确保商品温度
Customized cold storage parameters ensure the temperature of the goods

05

产品使用培训
Product usage training

确保客户理解和正确使用产品
Ensure that customers understand and use the product correctly

06

客户回访服务
Customer follow-up service

产品检查，深入了解客户反馈并改善
Product inspection, in-depth understanding of customer feedback and improvement

02

会员店产品系列

Membership store product series

扩容设计，轻松适配大包装存储需求。

严苛控温，全链路守护食品安全。

不锈钢内饰，坚固耐用以对高频流转。

Expanded Capacity Design, Easily Adapting to Bulk Packaging Storage Needs.

Precise & Strict Temperature Control, Protecting Food Safety Throughout the Entire Chain.

Stainless Steel Body, Durable and Robust for High-Frequency Turn-over Scenarios.

MJPE326

立风柜 Remote-Multideck






柜体边角采用圆润处理，防止顾客碰撞受伤。

The corners of the cabinet are rounded to prevent customers from getting injured by collisions.

产品特性 Product Features

- 低能耗
- 节能LED
- 双风幕设计
- 可调角度货架，协助客户不同的展示需求
- 高可靠性的货架及垫仓板贴合会员店食品展示需求
- 模块化设计
- 安装和维护便利
- Low Total Energy Consumption (TEC)
- Optimised display with LED lighting
- Dual air curtain design
- Adjustable Angle shelves assist customers in meeting various display needs
- The reliable shelves and storage pads meet the food display needs of member stores.
- Designed for modular configurations
- Simple to install and maintain










技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(㎡) TDA	容积(L) Volume	尺寸(mm) Dimensions
MJPE326-2	3M1	-1~5	Remote	2.15	1180	1250*1120*2130
MJPE326-3	3M1	-1~5	Remote	3.22	1770	1875*1120*2130
MJPE326-4	3M1	-1~5	Remote	4.29	2360	2500*1120*2130
MJPE326-6	3M1	-1~5	Remote	6.43	3540	3750*1120*2130

V39/VD39

服务柜 Self-Service







极简线条勾勒，搭配高级材质，配合灯光产品陈列如艺术般精致。

The sleek, minimalist lines are elegantly defined and harmoniously paired with premium materials, transforming the lighting fixtures into exquisite works of art.

产品特性 Product Features

- 多规格，多尺寸供客户选型搭配使用
- 三层中空玻璃，有效防凝露
- 稳定的商品存储温度
- 双温设计，适配不同类别商品展示需求
- 模块化设计
- 安装和维护便利
- Customers can choose from various specifications and sizes to suit their needs.
- The three-layer insulating glass effectively minimizes the risk of condensation.
- Longer merchandise shelf life
- Dual-temperature design, suitable for the display requirements of different types of products
- Designed for modular configurations
- Simple to install and maintain










技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(m²) TDA	容积(L) Volume	尺寸(mm) Dimensions
V39/VD39-2	S	-1~5/ < -18	Remote	1.31	707	1250*1320*1000
V39/VD39-3	S	-1~5/ < -18	Remote	1.96	1057	1875*1320*1000
V39/VD39-4	S	-1~5/ < -18	Remote	2.70	1414	2500*1320*1000
V39/VD39-6	S	-1~5/ < -18	Remote	4.05	1752	3750*1320*1000

V34

服务柜 Self-Service






匠心设计的环岛，不仅能聚拢人气，其本身也成为店内的靓丽风景线。

The intricately designed circular island not only captivates visitors but also serves as a stunning focal point within the store itself.

产品特性 Product Features

- 人体工程学结构设计
- 三层中空玻璃，有效防凝露
- 稳定的商品存储温度
- 可调地脚，移动和摆放更方便
- 双温设计，适配不同类别商品展示需求
- 模块化设计
- 安装和维护便利

- Ergonomic design for easy access
- The three-layer insulating glass effectively minimizes the risk of condensation.
- Longer merchandise shelf life
- Adjustable feet make it more convenient to move and place
- Dual-temperature design, suitable for the display requirements of different types of products
- Designed for modular configurations
- Simple to install and maintain







技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(㎡) TDA	容积(L) Volume	尺寸(mm) Dimensions
V34-2	S	-1~5/ < -18	Remote	1.14	475	1250*1170*1000
V34-3	S	-1~5/ < -18	Remote	1.70	712	1875*1170*1000
V34-4	S	-1~5/ < -18	Remote	2.27	950	2500*1170*1000
V34-6	S	-1~5/ < -18	Remote	3.40	1425	3750*1170*1000

S122

半高柜 Remote - Semi-vertical






灵巧占地，能装善藏。上窄下宽设计，展现更多美味。

It ingeniously utilizes space and offers exceptional storage capabilities. The design, characterized by a narrow top and a wider bottom, elegantly highlights the delectable nature of its contents.

产品特性 Product Features

- 低能耗
- 稳定的商品存储温度
- 可调地脚，移动和摆放更方便
- 高可靠性货架
- 节能LED
- 安装和维护便利
- Low Total Energy Consumption (TEC)
- Longer merchandise shelf life
- Adjustable feet make it more convenient to move and place
- Dual-temperature design, suitable for all seasons.
- Optimised display with LED lighting
- Simple to install and maintain
- High-reliability shelves







技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(m²) TDA	容积(L) Volume	尺寸(mm) Dimensions
S122-2	3M1	-1~5	Remote	1.09	500	1250*1100X1200
S122-3	3M1	-1~5	Remote	1.56	750	1875*1100X1200
S122-4	3M1	-1~5	Remote	2.08	1000	2500*1100X1200
S122-6	3M1	-1~5	Remote	3.12	1500	3750*1100X1200

V34S

自携柜 Self Contained - Service






食品级不锈钢，安全卫生选材精良，强度超强稳定。

Crafted from food-grade stainless steel, this product ensures safety and hygiene while showcasing exceptional material selection and remarkable strength that is both robust and stable.

产品特性 Product Features

- 三层中空玻璃，有效防凝露
- 稳定的商品存储温度
- 漏电保护、超温报警
- 双温设计，适配不同季节的温度
- 底部带脚轮 ，移动和摆放更方便
- 通体不锈钢，耐腐蚀，经久耐用
- The three-layer insulating glass effectively minimizes the risk of condensation.
- Longer merchandise shelf life.
- Leakage protection and over-temperature alarm.
- Dual-temperature design, suitable for all seasons.
- It has casters on the bottom for easier movement and placement.
- Made entirely of stainless steel, it is corrosion-resistant and durable.







技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(㎡) TDA	容积(L) Volume	尺寸(mm) Dimensions
V34S-4	S	-1~5/ < -18	Plug In	2.27	950	2500*1170*1030

V39S

自携柜 Self Contained - Service






自携柜独立灵活，即插即用，填补任何空间空白，创造黄金销售点。

Self-contained cabinets feature independent, flexible configurations with a plug-and-play design. They seamlessly fill spatial gaps and create premium golden sales spots.

产品特性 Product Features

- 三层中空玻璃，有效防凝露
- 稳定的商品存储温度
- 漏电保护、超温报警
- 双温设计，适配不同季节的温度
- 底部带脚轮 ，移动和摆放更方便
- The three-layer insulating glass effectively minimizes the risk of condensation.
- Longer merchandise shelf life.
- Leakage protection and over-temperature alarm.
- Dual-temperature design, suitable for all seasons.
- It has casters on the bottom for easier movement and placement.







技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(㎡) TDA	容积(L) Volume	尺寸(mm) Dimensions
V39S-4	S	-1~5/ < -18	Plug In	2.70	1414	2500*1320*1030

S172S

自携柜 Self Contained - Service






耐腐蚀性、耐热性、低温强度、机械性能良好。

Boasting superior corrosion resistance, heat resistance, low-temperature strength and mechanical properties, it delivers reliable and long-lasting performance.

产品特性 Product Features

- 低能耗
- 节能LED，展示效果佳
- 高可靠性货架
- 底部带滚轮，方便移动、清洁、调整布局
- Independent self-brought cabinets, suitable for the venue and can be moved at any time
- Optimised display with LED lighting,excellent display effect
- High-reliability shelves
- The bottom is equipped with rollers for easy movement, cleaning and layout adjustment
- Low Total Energy Consumption (TEC)







技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(㎡) TDA	容积(L) Volume	尺寸(mm) Dimensions
S172S-3	3M1	-1~5	Plug In	2.34	1027	1875*1125*1720

SGND193S

自携玻璃门柜 Self Contained Glass Door Cabinet






精致机身设计，百搭商超场景，提升店面整体形象。

The elegant body design is adaptable for supermarket environments and elevates the overall image of the store.

产品特性 Product Features

- 体积小巧省空间，适配有限布局
- 节能LED
- 稳定的商品存储温度
- 节能低耗，维护简单，降低门店长期运营成本
- 可调角度货架
- 安装和维护便利
- Compact size saves space, ideal for limited layouts
- Optimised display with LED lighting
- Longer merchandise shelf life
- Low Total Energy Consumption (TEC)
- Adjustable Angle shelves
- Simple to install and maintain





技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(㎡) TDA	容积(L) Volume	尺寸(mm) Dimensions
SGND193S-B	3M1	-1~5	Plug In	1.54	560	1250*760*1900

03

商超产品系列

Hypermarket product series

精巧省地，小空间大展示面。

低耗节能，日常运营更省心。

耐用易洁，适配高频使用。

Compact Design, Max Display in Minimal Footprint.
Low Energy Consumption, Hassle-Free Daily Operation.
Durable & Easy-Clean, Built for High-Frequency Use.

MJPE116

立风柜 Remote-Multideck






结构简洁大方和实用是我们追求的基本特点。

Clean, elegant and practical — that's what we stand for.

产品特性 Product Features

- 大容量储存空间，可陈列更多商品
- 采用节能风机，省电节能
- 双风幕设计
- 可调角度货架
- 高可靠性货架
- 多规格，多尺寸供客户选型搭配使用
- 安装和维护便利
- Spacious storage allows for displaying more products
- Energy-saving fans are adopted to save electricity and energy
- Dual air curtain design
- Adjustable Angle shelves
- High-reliability shelves
- Customers can choose from various specifications and sizes to suit their needs.
- Simple to install and maintain







技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(㎡) TDA	容积(L) Volume	尺寸(mm) Dimensions
MJPE116-2	3M1	-1~5	Remote	2.20	892	1250*980*2130
MJPE116-3	3M1	-1~5	Remote	3.30	1138	1875*980*2130
MJPE116-4	3M1	-1~5	Remote	4.40	1784	2500*980*2130
MJPE116-6	3M1	-1~5	Remote	6.60	2676	3750*980*2130

MPD116

玻璃门柜 Multideck Door






灵活陈列，助力冲动消费。

Flexible Merchandising, Boost Impulse Buys.

产品特性 Product Features

- 大容量储存空间，可陈列更多商品
- 可调角度货架
- 超大玻璃门，提升展示效果
- 模块化设计
- 安装和维护便利
- Spacious storage allows for displaying more products
- Adjustable Angle shelves
- The oversized glass door enhances the display effect
- Designed for modular configurations
- Simple to install and maintain







技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(㎡) TDA	容积(L) Volume	尺寸(mm) Dimensions
MPD116-2	3M1	-1~5	Remote	1.46	900	1250*930*2060
MPD116-3	3M1	-1~5	Remote	2.19	1350	1875*930*2060
MPD116-4	3M1	-1~5	Remote	2.93	1800	2500*930*2060
MPD116-6	3M1	-1~5	Remote	4.39	2691	3750*930*2060

MCL

玻璃门冷冻柜 Glass Door Freezer






多维赋能，为会员店创造长效价值。

Multi-Dimensional Empowerment, Creating Long-Term Value for Membership Stores.

产品特性 Product Features

- 快速降温，开门冷气流失少，保鲜更出色
- 节能LED
- 大视野玻璃门，展示清晰，提升商品吸引力
- 分层大容量设计，陈列规整，取用方便
- 模块化设计
- 安装和维护便利
- Fast cooling with minimal cold air loss when opening the door for better preservation
- Optimised display with LED lighting
- Large-view glass door for clear display, enhancing product appeal
- Layered large-capacity design for neat display and easy access
- Designed for modular configurations
- Simple to install and maintain







技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(m²) TDA	容积(L) Volume	尺寸(mm) Dimensions
MCL20-2	3L1	< -18	Remote	2.15	1290	1570X960X2000
MCL20-3	3L1	< -18	Remote	2.60	1940	2347X960X2000
MCL20-4	3L1	< -18	Remote	4.70	2850	3124X960X2000
MCL20-5	3L1	< -18	Remote	5.88	3560	3900X960X2000

SMD1400

半高柜 Remote - Semi-vertical






通透展示面，商品一目了然，吸引顾客主动选购。

The transparent display surface makes the products clear at a glance, attracting customers to make purchases voluntarily.

产品特性 Product Features

- 低能耗
- 稳定的商品存储温度
- 高可靠性货架
- 节能LED
- 多规格，多尺寸供客户选型搭配使用
- Low Total Energy Consumption (TEC)
- Longer merchandise shelf life
- Adjustable feet make it more convenient to move and place
- Dual-temperature design, suitable for all seasons.
- Optimised display with LED lighting
- Simple to install and maintain
- Customers can choose from various specifications and sizes to suit their needs.





技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(m²) TDA	容积(L) Volume	尺寸(mm) Dimensions
SMD1400-2	3M1	-1~5	Remote	1.46	422	1250*835*1400
SMD1400-3	3M1	-1~5	Remote	2.19	632	1875*835*1400
SMD1400-4	3M1	-1~5	Remote	2.91	842	2500*835*1400
SMD1400-6	3M1	-1~5	Remote	4.37	1264	3750*835*1400
SMD1400-C	3M1	-1~5	Remote	1.87	510	1605*835*1400

SME 162

半高柜 Remote - Semi-vertical






纯正的欧美风格，不需要讲究太多的线条，而是保持简单的信念。

Pure European & American style.Simple lines, simple philosophy.

产品特性 Product Features

- 低能耗
- 可组合成环岛，充分利用四周展示空间
- 高可靠性货架
- 节能LED
- 多规格，多尺寸供客户选型搭配使用
- Low Total Energy Consumption (TEC)
- It can be arranged into a circular island, maximizing the use of the surrounding display space.
- Dual-temperature design, suitable for all seasons.
- Optimised display with LED lighting
- Simple to install and maintain
- Customers can choose from various specifications and sizes to suit their needs.








技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(㎡) TDA	容积(L) Volume	尺寸(mm) Dimensions
SME162-2	3M1	-1~5	Remote	1.57	712	1250*915*1600
SME162-3	3M1	-1~5	Remote	2.36	1125	1875*915*1600
SME162-4	3M1	-1~5	Remote	3.15	1425	2500*915*1600
SME162-6	3M1	-1~5	Remote	4.72	2250	3750*915*1600
SME162-C	3M1	-1~5	Remote	2.20	1050	2500*915*1600

VSS726

服务柜 Remote - Service






专业服务展示柜，颜值出众、保鲜稳定。

Professional service display cabinet, with outstanding appearance and quality, and stable preservation.

产品特性 Product Features

- 开口面积大，展示效果好
- 稳定的商品存储温度
- 可调地脚，移动和摆放更方便
- 模块化设计
- 安装和维护便利
- The opening area is large, providing a good display effect
- Longer merchandise shelf life
- Adjustable feet make it more convenient to move and place
- Designed for modular configurations
- Simple to install and maintain








技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(㎡) TDA	容积(L) Volume	尺寸(mm) Dimensions
VSS726-2	3M1	-1~5	Remote	1.21	266	1250*1200*870
VSS726-3	3M1	-1~5	Remote	1.82	400	1875*1200*870
VSS726-4	3M1	-1~5	Remote	2.42	533	2500*1200*870
VSS726-6	3M1	-1~5	Remote	3.63	800	3750*1200*870

VLL726

服务柜 Remote - Service






全景展示，通透美观。

A panoramic display unfolds, exuding transparency and elegance.

产品特性 Product Features

- 开口面积大，展示效果好
- 稳定的商品存储温度
- 可调地脚，移动和摆放更方便
- 通透柜体，提高商品展示效果
- 安装和维护便利
- The opening area is large, providing a good display effect
- Longer merchandise shelf life
- Adjustable feet make it more convenient to move and place
- The transparent cabinet body enhances the display effect of the goods
- Simple to install and maintain








技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(m²) TDA	容积(L) Volume	尺寸(mm) Dimensions
VLL726-2	3M1	-1~5	Remote	0.91	267	1250*1255*1220
VLL726-3	3M1	-1~5	Remote	1.37	251	1875*1255*1220
VLL726-4	3M1	-1~5	Remote	1.82	524	2500*1255*1220
VLL726-6	3M1	-1~5	Remote	2.73	800	3750*1255*1220

GHN

低温岛柜 Wide Island Freezer






提升形象，优化体验，服务更有温度。

Upgrade image, optimize experience, warm service.

产品特性 Product Features

- 上盖门推拉设计，极大方便拿取货物。
- 灵活百搭，自由组合，充分利用四周展示空间
- 节能LED
- 多规格，多尺寸供客户选型搭配使用

- The sliding design of the upper cover door greatly facilitates the retrieval of goods.
- Flexible and versatile, freely combinable, making full use of the surrounding display space
- Optimised display with LED lighting
- Customers can choose from various specifications and sizes to suit their needs.







技术参数 Technical Parameter

型号 Model	温度等级 Temp Class	运行温度(℃) Temperature	制冷方式 System	展示面积(㎡) TDA	容积(L) Volume	尺寸(mm) Dimensions
GHN74-2	3L1	< -18	Remote	2.09	850	1250*2085*900
GHN74-3	3L1	< -18	Remote	3.13	1275	1875*2085*900
GHN74-4	3L1	< -18	Remote	4.18	1700	2500*2085*900
GHN74-6	3L1	< -18	Remote	6.27	2550	3750*2085*900
GHN74-C	3L1	< -18	Remote	1.70	656	1060*2085*900

选配品
Optional parts

门 Door

Low Temperature Door



Schott Door

- Semi- Frameless
- Passive door

Black RAL 9005



TechniDoors

- Semi- Frameless
- Passive door
- ○ Heated door
- ○ Vacuum door

Gray RAL 9007
Black RAL 9005



Innovator Door

- Framed
- Heated door
- Always clear

White RAL 9003
Gray RAL 9007
Black RAL 9005



TechniDoors

- Framed
- Heated door

Gray RAL 9007
Black RAL 9005

Medium Temperature Door



Schott Door

- Frameless

Black RAL 9005



TechniDoors

- Frameless

Black RAL 9005



Bentcam Door

- Slim Framed

Gray RAL 9007




TechniDoors

- Slim Framed
- Heated door


Gray RAL 9007
Black RAL 9005

防碰条 Bumper



ABS Bumper

灰色 RAL 9007
黑色 RAL 9005



ABS Bumper

红色 RAL 3002
灰色 RAL 9007




Flexible PVC Bumper

灰色 RAL7038
黑色 RAL9005
红色 RAL3002




Rigid PVC Bumper

红色 501特殊色卡
黑色 401特殊色卡
参考Mccue样本书




SS Double Round Tube Bumper

不锈钢材质
stainless steel




SS Double Square Tube Bumper 40X10

不锈钢材质
stainless steel



SS Double Square Tube Bumper 25X25

不锈钢材质
stainless steel



SS Square Tube Bumper 50X10

不锈钢材质
stainless steel

货 架 Shelf




颜色 COLOUR	深度 DEPTH
白色 RAL 9003	410mm
黑色 RAL 9005	460mm
不锈钢材质 Stainless Steel	510mm
	560mm




货架侧面图
SHELF PANEL-REINFORCED



货架侧面图- 加强型
SHELF PANEL-REINFORCED



颜色 COLOUR	深度 DEPTH
白色 RAL 9003	400mm
黑色 RAL 9005	450mm
不锈钢材质 Stainless Steel	500mm
	600mm




货架侧面图
SHELF PANEL-REINFORCED



货架侧面图- 加强型
SHELF PANEL-REINFORCED



颜色 COLOUR	深度 DEPTH
白色 RAL 9003	400mm
黑色 RAL 9005	
不锈钢材质 Stainless Steel	500mm



货架侧面图
SHELF PANEL-REINFORCED


垫仓板格栅 Grille



ADJUSTABLE HEIGHT GRILLE	
COLOUR	FRONT
☐ RAL 9003 ■ RAL 9005	115mm




ADJUSTABLE HEIGHT GRILLE	
COLOUR	FRONT
☐ RAL 9003 ■ RAL 9005	115mm



ADJUSTABLE GRILLE	
COLOUR	FRONT
☐ RAL 9003 ■ RAL 9005	68mm



ADJUSTABLE GRILLE	
COLOUR	FRONT
Stainless Steel	100mm



STAINLESS STEEL GRILLE	
Colour	Stainless Steel

LED 灯 LED light

Jamicon
● T8 LED



品类 Type	顶灯/货架灯/门框灯 Canopy/Shelf//Frame	色温 C.C.T(K)	长度 Length(mm)
T8 LED	顶灯 Canopy	3000	900
			1200
			1500
		3300(R/W)	600
			900
			1200
			1500
		4000	900
			1200
			1500
		5000	600
			900
	货架灯 Shelf	3000	900
			1200
			1500
		3300(R/W)	600
			900
			1200
			1500
		4000	900
			1200
			1500
		5000	600
			900

Jamicon
● FLAT LED



名称 Type	顶灯/货架灯/门框灯 Canopy/Shelf//Frame	色温 C.C.T(K)	长度 Length(mm)
FLAT LED	顶灯 Canopy	3000	600
			900
			1200
			1500
		3300(R/W)	900
			1200
			1500
		4000	600
			900
			1200
			1500
		6500	1200
	货架灯 Shelf	3000	600
			750
			900
			1200
			1500
		3300(R/W)	750
			900
			1200
			1500
		4000	600
			900
			1200
			1500
		5000	1200
		6500	1200

LED 灯 LED light

Jamicon
- PLASTIC LED



名称 Type	顶灯/货架灯/门框灯 Canopy/Shelf//Frame	色温 C.C.T(K)	长度 Length(mm)
PLASTIC LED	顶灯 Canopy	3000	900
			1200
		4000	600
			900
			1200
		5700	1200
		6500	900
			1200
	货架灯 Shelf	3000	600
			900
			1200
			1500
		4000	600
			900
			1200
			1500
		5700	1200
		6500	900
			1200

Jamicon
- Vertical LED
- Two-way LED




名称 Type	顶灯/货架灯/门框灯 Canopy/Shelf//Frame	色温 C.C.T(K)	长度 Length(mm)
Vertical LED	门框灯 Frame	5700	1500
		4000	1500
Two-way LED		6500	1500
		5700	1100

LEA

名称 Type	顶灯/货架灯/门框灯 Canopy/Shelf//Frame	色温 C.C.T(K)	长度 Length(mm)
	顶灯 Canopy	3000	800
			900
			1200
			1500
		4000	800
			900
			1200
			1500
	货架灯 Shelf	3000	800
			900
			1200
			1500
		4000	800
			900
			1200
			1500
	门框灯 Frame	4000	1500

Brightlight



名称 Type	顶灯/货架灯/门框灯 Canopy/Shelf//Frame	色温 C.C.T(K)	长度 Length(mm)
	顶灯 Canopy	4000	900
			1200
			1500
	货架灯 Shelf	4000	900
			1200
			1500

合作伙伴
Cooperative partner

国内主要合作伙伴 MAJOR PARTNER IN CHINA

Sam's CLUB · M会员商店 MEMBER CLUB · COSTCO WHOLESALE · 开心农场A会员店 HAPPY FARM CLUB

国外战略合作伙伴 STRATEGIC PARTNER

Woolworths · coles .com.au · METRO · ALDI · Lotus's · 7-ELEVEN · makro คู่คิดธุรกิจคุณ · IGA SUPA VALU · GO! · SM · FairPrice NTUC · D'Mart · BABIL · Reliance RETAIL · ALTURAS MALLS · Tops market